



Certificate of Analysis

Product: Lactic Acid 88%

Item Number: LAF88

Grade: USP/FCC

Lot Number: L8810915

Manufacture Date: 12/31/2022

Expiration Date: 12/30/2025

Country of Origin: Japan

Tested Property	Specification	Analysis
Description	Colorless or yellow, syrupy liquid	Pass
Assay	> 88.0 %	88.3%
Residue on ignition	<0.05 wt%	Pass
Relative density	As reported	1.21
Cyanide	< 0.0005 wt%	Pass
Iron	< 0.001 wt%	Pass
Calcium	< 0.02 wt%	Pass
Heavy Metals (as Pb)	< 0.001 wt%	Pass
Arsenic	< 0.0003 wt%	Pass
Methanol	< 0.2 v/wt%	Pass
Residue on ignition	< 0.05 wt%	Pass

Lactic Acid 88%

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737,
© copyright: 2025 Lab Alley