



Certificate of Analysis

Product: Ferrous Sulfate Crystal

Item Number: C3940

Grade: Lab

Lot Number: 2072024

Manufacture Date: 02/07/2024

Expiration Date: 02/06/2027

Country of Origin: United States

Tested Property	Specification	Analysis
Assay	≥99.0%	100.6%
Insoluble matter	≤3%	<3.0
Ferrous Ion	≥20.0%	20.2%
pH 1% Solution	4	4
Particle Size Range	As Reported	-20-100 mesh
Bulk Density	As reported	55#/cu.ft
Arsenic	As reported	<0.2ppm
Lead	As reported	<2 ppm
Cadmium	As reported	<3 ppm
Mercury	As reported	<0.05 ppm
Sulfuric Acid	≤2.0%	<2.0%
Anti-caking agent CaCO3	≤1.0%	<1.0%

This material complies with AWWA Standard 402-00.

[Ferrous Sulfate Crystal](#)

Note: The information and recommendations of Lab Alley concerning this product are based upon laboratory tests and experience. To the best of our knowledge and belief these are true and accurate, however Lab Alley assumes no obligation or liability for the information in this document. Since conditions of actual use are beyond our control, any recommendations or suggestions regarding merchantability and fitness for

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.
© copyright: 2025 Lab Alley



particular purposes are made without warranty, expressed or implied.

Phone: 512-668-9918, Fax: 512-886-4008,
E-mail: customercare@laballey.com,
www.laballey.com,

12501 Pauls Valley Road, Suite A, Austin, Texas 78737.
© copyright: 2025 Lab Alley